

## GLASS AND MIRRORS

### CRYSTAL MIRROR

In the "ON" position, the CRYSTAL MIRROR allows to display almost 100% of the monitor system's brightness, permitting best picture quality with brilliant colors to transmit. When in the "OFF" position, the **ad notam** monitor system appears in the mirror as a black area.

The CRYSTAL MIRROR is designed for combination with the **ad notam** monitor systems and fulfills the necessary surface, hardness, and tension qualities.

The position of the image area within the mirror surface is freely selectable. The flexibility is only limited by the outline dimensions of the **ad notam** monitor system which need to be considered when installing the monitor system on the backside of the mirror.

Please use the **ad notam** glass orderform as appendix to your purchase order to supply data.

Transmission of image area: 90% +/- 5

Reflection of mirror surrounding image area: 95% +/- 5

Reflection of image area: 8% +/- 5




#### ARTICLE NO.

CRYSTAL MIRROR	Code	Thickness	Type
CR-SM-	005 R	5mm	Standard
	008 R LSG	7.8mm	Laminated Safety Glass

## GLASS AND MIRRORS

### CRYSTAL MIRROR



**1** CRYSTAL MIRROR  
Max. dimensions:

Thickness in mm	max. W in mm	max. H in mm	Weight per m <sup>2</sup>
5	3150	2000	12.5 kg
7.8	3150	2000	19.5 kg

**2** IMAGE AREA  
Combinable monitor system sizes:

Image Area	min.	max.
Size (inch)	13.3"	82.0"

Tolerances	Application Characteristics	Cleaning Note
If the difference between ordered dimensions and actual received product is exceeding 2mm in measurements of H & W, the material is defective. In this case the glass may be exchanged.	<p>a) The specified mirror is suitable in moist areas but for indoor use only!</p> <p>b) The standard implementation is not usable in public facilities or at public places. Applications in these surroundings have to be implemented with laminated safety glass (LSG). Please consider this with your order or planning.</p> <p>c) Installation &amp; mounting guidelines for glass have to be considered!</p> <p>On demand authorized retailers can be supported with training records!</p>	<p>a) Do not use any rubbing or caustic cleanse!</p> <p>b) Use only a clean and dust-free cloth, by using a customary glass detergent!</p> <p>c) Consider the material specification!</p>